

COMING SOON

ICP Savannah



STARTING PRICE	OPENING PRICE	BIDS PLACED	RESERVE PRICE
—	—	0	Yes
LOT	AUCTION	BRAND	CATEGORY
#198	#169	ICP	Aircraft
BIDDING CLOSES	SELLER		
—	C****s		

This document is a snapshot taken at the time and date shown. Prices, bid counts, closing times and availability change continuously. Always confirm the current position on collectairs.com before bidding or making any commitment.

DESCRIPTION

The ICP Savannah is the Italian answer to a question many light-aircraft pilots eventually ask: can a machine be genuinely happy on a short, imperfect strip without becoming a purely local-flight toy? The Savannah family built its reputation around that overlap. Its high-lift wing, external struts and Junkers flaperons make low-speed work the central theme, while later VG, XL and S developments worked to retain useful cross-country pace. It is not a slick composite traveller, nor does it pretend to be; the appeal is practical access, a wide view and a remarkably direct link between pilot, airfield and landscape.

ICP developed the Savannah as a versatile, all-metal ultralight platform rather than a single fixed recipe. Over time the line appeared with different cabins, wing treatments, engines and undercarriages, including tricycle, tailwheel and float-oriented arrangements. The Savannah S, introduced in 2010, revised the rear fuselage and cabin environment while retaining the basic high-lift wing concept. That continuity matters: the aircraft was designed to make short-field capability usable by ordinary sport pilots, not merely to produce impressive figures for a brochure.

Quick facts

What makes the ICP Savannah such a distinctive short-field aeroplane?

The Savannah's personality begins at the wing. It uses a modified NACA 65-018 high-lift section and full-span Junkers-type flaperons: surfaces mounted below and aft of the wing's trailing edge that combine aileron and flap functions. That arrangement preserves roll response at the lower end of the speed range better than the usual compromise of asking a conventional aileron to work beside a deeply deflected flap. On VG-equipped Savannahs, vortex generators ahead of the wing help energise the boundary layer and preserve control authority nearer the stall.

In practical terms, it is an aeroplane that rewards accurate speed control and deliberate energy management rather than brute force. The broad wing and generous flap effect allow steep, controlled approaches, but the same features mean a pilot should resist treating it like a fast, clean touring machine. It is happiest when flown as a utility-minded light aeroplane: keep the approach stabilised, use the flaperons intelligently and let the low-speed design do its job. The fixed gear and exposed struts create drag, naturally, but they also make the Savannah's priorities perfectly clear before the wheels leave the ground.

Powerplant, systems and technical highlights

- Savannah S installations were offered with the 80 hp Rotax 912 UL or 100 hp Rotax 912 ULS four-cylinder engines.
- The standard propeller arrangement paired the 80 hp installation with a ground-adjustable two-blade Duc propeller and the 100 hp installation with a ground-adjustable three-blade Duc propeller.
- A rear-supported ring engine mount was used on the Savannah S to reduce vibration transmission, with a fully removable cowling for engine-bay access and a separate oil-check door.
- The high wing is externally braced and uses Junkers flaperons with manual control or optional electric actuation; elevator trim is electric and rudder trim manual.
- Wing tanks hold 36 litres each on the Savannah S, feeding a collector tank; the fuel system includes an additional electrically driven pump with heat shielding.
- Typical basic instrumentation comprises airspeed, altitude and vertical-speed indications, compass, slip/skid indication, tachometer, fuel pressure, oil pressure and temperature, cylinder-head or coolant-temperature indications, hourmeter and voltmeter. Panel fit varies materially between individual aircraft.
- The Savannah S is intended for VFR operation and is not an aerobatic design.

How it compares

Comparison rival: Zenith STOL CH 750. Published figures vary by model, certification category, engine, propeller, weight and installed equipment; compare the actual aircraft documentation before drawing purchasing conclusions.

Honest ownership note: A Savannah should be bought on paperwork, workmanship and condition rather than on the romance of a short take-off roll. The family spans several versions and engine fits, so establish exactly which Savannah variant, wing treatment, landing gear and national approval basis are involved. A pre-purchase inspection should pay particular attention to the wing-strut and jury-strut attachments, flaperon hinges and control runs, riveted skins and load-bearing panels, vortex generators where fitted, fuel-tank cups and vents, brake plumbing, nosegear steering and the engine installation. The Rotax installation brings the advantage of a very familiar light-aircraft engine family, but maintenance must follow both the airframe and engine documentation. A mechanic experienced with Rotax installations and a knowledgeable Savannah or ICP owners' network are worth more than an optimistic advert.

Exterior and cabin

Exterior

- High, straight-tapered wing supported by single lift struts and smaller jury struts.
- Metal fuselage with a deep, squared cabin section and a rounded engine cowling ahead of the windscreen.
- Fixed tricycle undercarriage in the standard S arrangement, with an aluminium leaf-spring main gear and steerable nosewheel.
- Two-blade or three-blade tractor propeller ahead of the nose-mounted engine; wheel fairings may be fitted on some examples.
- Conventional tailplane with a single vertical fin and rudder; later Savannah variants differ in fuselage and tail detailing.

Cabin and cockpit

- Two side-by-side seats beneath a broad, glazed high-wing cabin.
- Large separate side doors with extensive Lexan glazing and lower door windows on some variants.
- Wide forward windscreen, overhead transparency and high wing placement provide an open visual field.
- Instrument panel ahead of both occupants, with room for basic analogue instruments or later glass-panel installations.
- Small baggage area behind the seats; published Savannah S baggage capacity is 20 kg.

Who is the ICP Savannah for?

- The pilot whose home strip is short, grass, rough or simply more interesting than a large paved airport.
- The sport aviator who values slow-flight manners, visibility and useful access over maximum cruise speed.
- The owner who wants a two-seat ultralight with conventional all-metal construction and a familiar Rotax powerplant option.
- The practical touring pilot prepared to accept fixed-gear drag in return for low-speed capability.

The ICP Savannah makes sense because it is honest about its mission. It turns useful lift, fixed gear and a straightforward metal structure into an aircraft that can make modest airfields feel accessible rather than restrictive. Choose the exact variant carefully, inspect the build and systems with discipline, and the Savannah remains one of the more characterful ways to combine low-speed utility with two-seat recreational flying.

SPECIFICATIONS

General Information

Model	ICP Savannah
-------	--------------

Engine & Power Systems

Engine Type	Rotax 912 UL (80 hp) or Rotax 912 ULS (100 hp), depending on variant
-------------	--

Propeller Type	Ground-adjustable Duc composite propeller; two-blade with Rotax 912 UL or three-blade with Rotax 912 ULS on Savannah S
----------------	--

Avionics & Equipment

Avionics	Typically basic VFR analogue flight and engine instrumentation; individual panel installations vary
----------	---

PHOTOGRAPHS

5 of 6 photographs reproduced here. The complete gallery is on the listing page.

EXTERIOR





INTERIOR



MECHANICAL



EXTERIOR



HOW TO BID ON THIS LOT

Bidding is online at CollectAirs. Register and complete verification in good time before the lot closes, verification is reviewed by our team rather than granted instantly.

collectairs.com/auctions/icp-savannah

Questions about this aircraft, the paperwork or the process can be sent to our team at any hour on WhatsApp, or by email at info@collectairs.com.

OTHER LIVE AUCTIONS

Live when this document was prepared. Stages and availability change: check the site for the current position.



AERO DESIGN PULSAR XP100

Bad Vöslau, Austria

€19,000 CURRENT PRICE

Closes 8 October 2026, 13:00 UTC



Ikarus Comco C42

Kirn, Germany

€65,000 CURRENT PRICE

Closes 8 October 2026, 19:00 UTC




Rare UTVA AERO 3

Büren, Germany

€20,000 CURRENT PRICE

Closes 8 October 2026, 19:00 UTC



Avions Robin DR300/125

Kirn, Germany

€40,000 CURRENT PRICE

Closes 30 September 2026, 19:00 UTC

Every lot above opens its own page. Browse all live lots at collectairs.com/auctions/live

IMPORTANT INFORMATION

Closing times can change

The closing time shown is indicative. Auctions may be extended automatically when bids arrive close to the deadline, and CollectAirs may reschedule, pause or withdraw a lot at any time. The time shown on the website governs.

Prices are indicative

Starting prices, current bids and any reserve are subject to change and may be corrected, revised or withdrawn. Where a lot carries a reserve, the amount is confidential and the lot will not sell below it. Figures here exclude applicable fees, taxes, duties, transport and registration costs.

No offer and no contract

This document is provided for information only. It is not an offer, a valuation, an appraisal, or an invitation to treat, and it forms no part of any contract. Bidding and sale are governed solely by the CollectAirs Terms and Conditions in force at the time of the auction.

Condition and airworthiness

Aircraft are sold as they stand. Descriptions, specifications, hours, dates and maintenance status are supplied by the seller and, while CollectAirs curates and verifies listings, they are not warranted as complete or accurate. Buyers are expected to carry out their own inspection, records review and pre-purchase survey before bidding.

Export, registration and compliance

Deregistration, export, import, customs, tax and re-registration are the buyer's responsibility, as is confirming that the aircraft can be lawfully imported and operated in the intended jurisdiction. Requirements vary by country and can affect both cost and timescale.

Photography and written content

Photographs are supplied by the seller and may have been edited for exposure, colour, straightening or the removal of background distractions, in some cases with AI-assisted tools. Parts of the written description and specification summaries may also have been drafted or edited with AI assistance for clarity and consistency. Such enhancements are made to present the aircraft clearly and are not intended to conceal, add or alter any physical feature, damage or defect. Photographs are illustrative, treat the aircraft itself, and its records, as the only authority on condition.

Seller identity

Seller names are shown in the partially masked form used across the platform. Full counterparty details are exchanged through CollectAirs once an auction concludes.

This document is a snapshot taken at the time and date shown. Prices, bid counts, closing times and availability change continuously. Always confirm the current position on collectairs.com before bidding or making any commitment.